


REV.	ECN. NO.	DESCRIPTION	ENG	DATE
X1		INITIAL	AXL	3/3/2022
X1		ADDED NEW LENGTHS	ZAKK	7/20/2022



ORDER INFORMATION


PART NUMBER	DIM. A
320-10521-01	500±10mm
320-10521-02	1000±15mm
320-10521-03	80mm
320-10521-04	508mm
320-10521-05	950mm

NOTES:

1. ALL CABLE 100% OPEN, SHORT, MISS WIRE & TRANSIENT FAULT TEST.
2. CONDUCTIVE RESISTANCE: 2 OHM MAX.
3. INSULATION RESISTANCE: 10M OHM MIN WITH 200VAC AT 10ms.
4. HIGH FREQUENCY TEST MUST COMPLY WITH PCIE GEN5 REQUIREMENT.
CONNECTOR IMPEDANCE: 85 OHM ±15 OHM
CABLE IMPEDANCE: 85 OHM ±10 OHM
5. ALL MATERIAL AND PROCESS MUST BE MEET THE REQUIREMENT OF RoHS2.0

GENERAL TOLERANCE X.± .X±0.20 .XX±0.10 .XXX±0.05	ANGLE TOLERANCE X°± .X°± .XX°± .XXX°±	DRAWN AXL	DATE 3/3/2022		TITLE MCIO 74P TO MCIO 74P FLATFAST
MATERIAL		DESIGN	DATE		CHECKED
FINISH		APPROVED		DATE	PART NUMBER. 320-10521-01
SCALE N/A	UNIT mm	SHEET 1 OF 2		DRAWING NO. 320-10521	SIZE A4 REV. X2

ITEM	NAME	Q'TY	DESCRIPTION
4	LABEL	1PCS	LABLE, BLACK INK
3	ACETATE TAPE	A/R	ACETATE TAPE, BLACK.
2	MCIO 74P	2PCS	MCIO 74P STRAIGHT: BLACK COLOR, PULL TAB: BLUE COLOR.
1	FLATFAST	A/R	FLATFAST, GEN5



LABEL INFORMATION

P/N:320-10521-01
 PCIe 5.0 85 Ohm
 REV. XX
 YYMMDDLLXXXX

FONT: ARIAL
 HEIGHT: 2.0mm Min



GENERAL TOLERANCE X.± .X±0.20 .XX±0.10 .XXX±0.05	ANGLE TOLERANCE X°± .X°± .XX°± .XXX°±	DRAWN AXL	DATE 3/3/2022	
MATERIAL		DESIGN	DATE	
FINISH		CHECKED	DATE	PART NUMBER 320-10521-01
SCALE N/A	UNIT mm	APPROVED	DATE	DRAWING NO. 320-10521
SHEET 2 OF 2				SIZE A4 REV. X2

ITEM	NAME	Q'TY	DESCRIPTION
1			
2			
3			
4			
5			