



REV.	ECN. NO.	DESCRIPTION	ENG	DATE
X1		INITIAL	AXL	6/15/2022
X2		ADD LENGTH OPTIONS 0.15/0.2/0.25/0.3M	TF	8/19/2022
X3		ADDED THE BEND RADIUS	ZAKK	8/19/2022
X4		ADDED SOME DIMS.	ZAKK	6/7/2023



NOTES:

1. ALL CABLE 100% OPEN, SHORT, MISS WIRE & TRANSIENT FAULT TEST.
2. CONDUCTIVE RESISTANCE: 2 OHM MAX.
3. INSULATION RESISTANCE: 10M OHM MIN WITH 200VAC AT 10ms.
4. HIGH FREQUENCY TEST MUST COMPLY WITH PCIE GEN5 REQUIREMENT.  
CONNECTOR IMPEDANCE: X OHM ±15 OHM  
CABLE IMPEDANCE: X OHM ±10 OHM
5. ALL MATERIAL AND PROCESS MUST MEET THE REQUIREMENT OF RoHS2.0




ORDER INFORMATION

320-10502-XX

LENGTH: 1=0.5M, 2=1.0M  
IMPEDANCE: 0=85ohm, 1=92ohm, 2=100ohm.

ITEM	NAME	Q'TY	DESCRIPTION
5	NYLON BRAND	A/R	COLOR: BLACK
4	LABEL	1PCS	LABLE, BLACK INK
3	ACETATE TAPE	A/R	ACETATE TAPE, BLACK.
2	MCIO 124P	2PCS	MCIO 124P STRAIGHT: BLACK COLOR, PULL TAB: BLUE COLOR.
1	TWINAX	A/R	TWINAX, GEN5

GENERAL TOLERANCE	ANGLE TOLERANCE	DRAWN	DATE	
X.± .X±0.20 .XX±0.10 .XXX±0.05	X°± .X°± .XX°± .XXX°±	AXL	6/15/2022	
MATERIAL		CHECKED	DATE	TITLE: MCIO 124P TO MCIO 124P
FINISH				PART NUMBER: 320-10502-XX
SCALE N/A	UNIT mm	APPROVED	DATE	DRAWING NO. 320-10502
SHEET 1 OF 2				SIZE A4 REV. X4



LABEL INFORMATION

P/N:320-10502-XX  
Pcle 5.0 XX Ohm  
REV. XX  
YYMMDDLLXXXX

X4

FONT: ARIAL  
HEIGHT: 2.0mm Min

GENERAL TOLERANCE X.± .X±0.20 .XX±0.10 .XXX±0.05	ANGLE TOLERANCE X°± .X°± .XX°± .XXX°±	DRAWN AXL	DATE 6/15/2022	
MATL	FINISH	CHECKED	DATE	
SCALE N/A	UNIT mm	APPROVED	DATE	PART NUMBER. 320-10502-XX
SHEET 2 OF 2				DRAWING NO. 320-10502
				SIZE A4 REV. X4

ITEM	NAME	Q'TY	DESCRIPTION
1			
2			
3			
4			
5			