




PROPRIETARY
INFORMATION
COMPANY CONFIDENTIAL

REV.	ECN. NO.	DESCRIPTION	ENG	DATE
X1		INITIAL	ZAKK	03/19/24
X2		FIXED THE LABEL	ZAKK	03/20/24
X3		Add customer PN/UPC	Chris	03/29/24
X4		Modify dimension meet MSA	Chris	04/10/24
X5		Add new P/N	Chris	04/18/24



VIEW A
2 : 1

PART NUMBER	WIRE TYPE	xx AWG	XM1 LENGTH
320-10721-01	PVC	28	3000±30
320-10721-02	PVC	30	1000±20
320-10721-03	PVC	28	2000±30
320-10721-04	PVC	28	2500±30

- NOTE:**
1. CABLE ASSEMBLY IMPEDANCE: 100±10 ohm.
 2. 100% CONDUCTOR TEST
 3. HIGH-FREQUENCY TEST ACCORDING TO IEEE802.3 cd STANDARD.
 4. ALL MATERIAL MUST COMPLY WITH ROHS

RoHS Compliant



GENERAL TOLERANCE X± 0.50 .X± 0.20 .XX± 0.10 .XXX± 0.05	ANGLE TOLERANCE X°± 5.0° .X°± 3.0° .XX°± 2.0° .XXX°± 1.0°	DRAWN Chris	DATE 4/10/2024		
MATL SEE BOM		CHECKED	DATE		TITLE-QSFP56DD TO 2XQSFP56, 400G For Supermicro
FINISH SEE NOTES		APPROVED		DATE	PART NUMBER. 320-10721-XX
SCALE N/A		UNIT mm		DRAWING NO. 320-10721	SIZE A4 REV. X5
SHEET 1 OF 5					

1 PROPRIETARY
INFORMATION
COMPANY CONFIDENTIAL

6 REV. ECN. NO. DESCRIPTION ENG DATE
REFER TO PAGE 1

WIRING TABLE

23	CABLE LABEL 2 (线标)	CABLE LABEL 2 48.3*79.2mm	1
22	CABLE LABEL 1 (线标)	CABLE LABEL 1 10*40mm	2
21	CONN. LABEL(壳标)	BACK SHELL LABEL, 9.6*23.5mm	2
20	INNER MOLD(内模)	HOT-MELT GLUE	2
19	RIVET	ALUMINIUM ALLOY	4
18	COPPER(铜管)	COPPER	2
17	ZINC ALLOY FIXED TUBE(固定筒)	Zn ALLOY, PLATED Ni OVER Cu	2
16	QSFP56 PASSIVE PCBA	QSFP+ PCB, 38P, Au 30u"Min	2
15	QSFP56 BOTTOM SHELL	Zn ALLOY, PLATED Ni OVER Cu	2
14	QSFP56 TOP SHELL	Zn ALLOY, PLATED Ni OVER Cu	2
13	DUST COVER(防尘盖)	LDPE, NATURAL	3
12	INNER MOLD(内模)	HOT-MELT GLUE	A/R
11	HEAT SHRINKABLE TUBE(热缩套管)	HEAT SHRINKABLE TUBE(热缩套管)	A/R
10	COPPER FOIL (铜箔)	6.35*0.07mm	A/R
9	SCREW(螺丝)	SUS304	2
8	QSFP SPRING(弹簧)	SUS301	4
7	QSFP-DD SPRING(弹簧)	SWPB	2
6	QSFP PULL TAB(拉带)	PA66 S1300, BLUE	2
5	QSFP-DD PULL TAB(拉带)	PA66 S1300, BLACK	1
4	BOTTOM SHELL(下壳)	Zn ALLOY, PLATED Ni OVER Cu	1
3	TOP SHELL(上壳)	Zn ALLOY, PLATED Ni OVER Cu	1
2	PCB ASSEMBLY(PCB 成品)	QSFPDD PCB, 38P, Au 30u"Min	1
1	RAW CABLE(线材)	8PAIRS, BLACK, ROHS, SEE TABLE A	A/R
ITEM	NAME	DESCRIPTION	QTY



CABLE GAUGE	CABLE "OD"	STATIC BEND RADIUS"R"	DYNAMIC BEND RADIUS"R"
30AWG	6.7MM	33.5MM	67MM
26AWG	8.9MM	44.5MM	89MM
28AWG	7.9MM	39.5MM	79MM


RoHS Compliant

GENERAL TOLERANCE X± 0.50 .X± 0.20 .XX± 0.10 .XXX± 0.05	ANGLE TOLERANCE X°± 5.0° .X°± 3.0° .XX°± 2.0° .XXX°± 1.0°	DRAWN Chris	DATE 4/10/2024	
MATERIAL SEE BOM		CHECKED	DATE	
FINISH SEE NOTES		APPROVED		PART NUMBER. 320-10721-XX
SCALE N/A	UNIT mm	SHEET 2 OF 5		DRAWING NO. 320-10721
				SIZE A4
				REV. X5

PROPRIETARY
INFORMATION
COMPANY CONFIDENTIAL

6	7	8
REV. ECN. NO.	DESCRIPTION	ENG DATE
	REFER TO PAGE 1	

BARCODE FORMAT:UPC-A CODE
READING: 672042901067



UPC NUMBER
XXX MEANS "CHN" WHEN MADE IN XIAMEN,"VNM" WHEN MADE IN VIETNAM
SMC PN
SMC REV
WW=TWO DIGIT WEEK OF THE YEAR(01-52)
YY=LAST TWO DIGITS OF THE YEAR(EX2014=14)
S/N: UUUUUYMDXXXX
S/N CODE:
UUUUU=LAST 5 DIGITS OF THE UPC CODE
Y=LAST DIGIT OF THE YEAR(2020-2029=0-9,2030=A,2031=B AND SO ON)
M=MONTH OF THE YEAR AS SHOWN IN BELOW TABLE

1D S/N BARCODE:CODE128
REDING: UUUUUYMDXXXX

Month	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
code	1	2	3	4	5	6	7	8	9	A	B	C

General Cable Serial Number Barcode Coding Rules

- Three to eight rows on the label with UPC bar code on top and serial number at the bottom.
- SMC 12-Digit UPC Number,UPC: 67204VVUUUUU.
- SMC 12-Digit SN barcode content,SN: UUUUUYMDXXXX,where UUUUU is the last 5 digits of the SMC UPC number.
- Y: Last 1 digit of a year,2020-2029=0-9,2030=A,2031=B,and so on. Repeat in a cycle of 20 years.
- M: Month,1-9(Jan to Sep),A-C(Oct to Dec).
- D: DAY OF THE MONTH 1ST-9TH=1-9 AND 10TH-31ST=A-V.

D: DAY OF THE MONTH 1ST-9TH=1-9 AND 10TH-31ST=A-V
XXXX: Serial number,0~9,A~F(Hex),Starting from 0001
Font Size: Arial 10

Year	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030																				
Code	0	1	2	3	4	5	6	7	8	9	A																				
Month	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC																			
code	1	2	3	4	5	6	7	8	9	A	B	C																			
Day	1	2	3	4	5	6	7	8	9	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	3	3		
Code	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V

XXXX: Serial number,0-9,Starting from 0001 to 9999 per day.
7.Font Size: The font size should be between 14 and 8 with a default size of 10.With prior permission,the font size can be down to 7 if space is limited.


RoHS Compliant

GENERAL TOLERANCE X±0.50 .X±0.20 .XX±0.10 .XXX±0.05	ANGLE TOLERANCE X°±5.0° .X°±3.0° .XX°±2.0° .XXX°±1.0°	DRAWN Chris	DATE 4/10/2024		
MATERIAL SEE BOM		CHECKED	DATE		TITLE: QSFP56DD TO 2XQSFP56, 400G For Supermicro
FINISH SEE NOTES		APPROVED		DATE	
SCALE N/A	UNIT mm	SHEET 3 OF 5		PART NUMBER. 320-10721-XX	
				DRAWING NO. 320-10721	SIZE A4 REV. X5


1 PROPRIETARY
INFORMATION
COMPANY CONFIDENTIAL

6	7	8
REV. ECN. NO.	DESCRIPTION	ENG DATE
	REFER TO PAGE 1	


CABLE LABEL




CABLE LABEL



ESD LABEL



PACKAGING:



正唛 LABEL




RoHS Compliant

GENERAL TOLERANCE X ± 0.50 .X ± 0.20 .XX ± 0.10 .XXX ± 0.05	ANGLE TOLERANCE X° ± 5.0° .X° ± 3.0° .XX° ± 2.0° .XXX° ± 1.0°	DRAWN Chris	DATE 4/10/2024	genesis connected solutions TITLE: QSFP56DD TO 2XQSFP56, 400G For Supermicro PART NUMBER. 320-10721-XX DRAWING NO. 320-10721 SIZE A4 REV. X5
MATL SEE BOM	FINISH SEE NOTES	CHECKED	DATE	
SCALE N/A	UNIT mm	APPROVED	DATE	
SHEET 4 OF 5				

1 PROPRIETARY INFORMATION COMPANY CONFIDENTIAL

2 外箱条码标签

6 REV. ECN. NO.	7 DESCRIPTION	8 ENG	DATE
	REFER TO PAGE 1		




标签:

- 1.L100*W70MM
- 2.纸质 白底黑字

标签要求:


- 1.SMC PO NO: 填写客户订单号
- 2.SMC UPC Code: 672042922031
- 3.SMC PN: CBL-NTWK-1103-QSFPDD-3
- 4.Lot No: 填写出货批号
- 5.MFGR: Genesis
- 6.MFG PN: 320-10721-01
- 7.PKG ID: GC0007001-YYYYMMDD-0001(依出货年月日填写)
- 8.OSE PN: N/A
- 9.Q'TY: 15PCS(依实际装箱数量填写)
- 10.Date Code: 2412(出货年份周别YYWW)
- 11.Made in: China

正唛标签



正唛

外箱条码标签



侧唛

RoHS Compliant

GENERAL TOLERANCE X±0.50 .X±0.20 .XX±0.10 .XXX±0.05	ANGLE TOLERANCE X°±5.0° .X°±3.0° .XX°±2.0° .XXX°±1.0°	DRAWN Chris	DATE 4/10/2024		
MATL SEE BOM		CHECKED	DATE		TITLE: QSFP56DD TO 2XQSFP56, 400G For Supermicro
FINISH SEE NOTES		APPROVED		DATE	PART NUMBER. 320-10721-XX
SCALE N/A	UNIT mm	SHEET 5 OF 5		DRAWING NO. 320-10721	SIZE A4 REV. X5